AJSP

# مجلة علمية محكمة


مجلة شهرية الإصدار ، دولية ، دورية تعنى بالدر اسات متعددة التخصصات في اللغة العربية، والإنجليزية

# عدد خاص لمداخلات

مؤتمـر العلـوم الطبيعيــة والتطبيقيــة الدولــي الحادي عشـر

المجلة العربية للنشر العلمي

Arab Journal For Scientific Publishing





**ISSN-**P: 2708-2806



## المجلة العربية للنشر العلمي

### Arab Journal for Scientific Publishing

عدد خاص / مؤتمر العلوم الطبيعية والتطبيقية الدولي الحادي عشر

Available online at: <u>www.ajsp.net</u>

## "Does Brain or Renal Expression of KRAS be influenced by Silver-Nanoparticles?"

### **Researchers**:

#### Mohammed Ayyed Najm <sup>1</sup>, Gulboy Abdolmajeed Nasir <sup>2</sup>, Huda Musleh Mahmood <sup>3</sup>

- 1. Assistant Professor (Ph.D.) at Faculty of Pharmacy, Al-Rafidain University College, Baghdad-Iraq.
- 2. Assistant Professor (Ph.D.) at Division of Basic Sciences, College of Agricultural Engineering Sciences, University of Baghdad, Iraq.
- Assistant Professor (Ph.D.) at Department of Biotechnology, College of Sciences, University of Anbar, Iraq.

Corresponding Author's E-mail: mohammed.ayyed@ruc.edu.iq



#### Abstract:

There have been several reports claiming that silver nanoparticles (AgNPs) are not absolutely safe. The purpose of this study is to look into the potential of CNS and renal molecular toxicities (expressed by changes in KRAS expression) that might occur when mice are injected with various AgNP doses. The results showed that as the AgNPs dosage was raised, KRAS expression rose significantly.

#### Introduction:

Nanoparticle production is increasing these days for different and important purposes. (1–3). For a variety of reasons, AgNPs are widely employed nanoparticles, including antibacterial action against numerous species (4, 5, 6, 7), cheap cost of synthesis (8), and other unique features (9) make them used in a variety of everyday items (10–12), but the likelihood of Ag+ ions leakage might compromise their safety (13–17). According to several studies, the AgNPs hazardous and the Ag+ emission have no correlation (18, 19), moreover, some investigations have indicated that metallic Ag nanoparticles toxicity may be stronger than the cytotoxicity of silver ions alone. (20, 21). N–, K–, and H–RAS are three often mutated human oncogenes that are important therapeutic targets (22). KRAS is the most often altered of the three RAS genes in various malignancies (23). The study here attempted to find the effects of employing AgNPs on KRAS genetic expression in CNS and kidneys.

#### **Material & Methods**

Nasir et al., (2020) accomplished the AgNPs formulation, mice grouping, the

Primers			Sequence (5 →3)	MT (°C)
Target gene	K-RAS	Forward	AGGCCTGCTGAAAATGACTG	63.9 °C
	K-RAS	Reverse	TCTGAATTAGCTGTATCGTCAAGG	65.9 °C
Control	β-ΑСΤΙΝ	Forward	CCTGAACCCTAAGGCCAAC	60 °C
gene	β-ACTIN	Reverse	ACGTACATGGCTGGGGTGT	62 °C

Table (1): The primers used in this study for K-RAS & control genes.

extraction of RNA, and the production of cDNA in a prior works (24, 25).

#### **Results**

Table 2 below shows the varying expression concentrations of KRAS in the

#### Table-2:

Desertion		Mean ± SE			
Duration	AgNPs/Kg	Brain	Kidney		
	0.025 mg	0.1096 ± 0.0328 a	0.0779 ± 0.0314 a		
7 days	0.5 mg	0.0223 ± 0.0038 c	$0.0797 \pm 0.0234$ a		
	l mg	$0.0480 \pm 0.0042$ bc	$0.0183 \pm 0.0057 \ b$		
	0.025 mg	$0.1005 \pm 0.0367$ ab	$0.0585 \pm 0.0237$ ab		
14 days	0.5 mg	$0.0609 \pm 0.0147$ abc	$0.0107 \pm 0.0045 \ b$		
	l mg	$0.0708 \pm 0.0047$ abc	$0.0215 \pm 0.0111 \text{ b}$		
	Control	$0.0259 \pm 0.0059 \text{ c}$	$0.0151 \pm 0.0017 \text{ b}$		
	LSD value	0.0543 *	0.0497 *		
* (P<0.05).					

various organs investigated.

#### Discussion

There are a lot of evidences demonstrated that utilizing silver-containing items, even if they only contain a little quantity of silver, can cause molecular toxicity to the body's immune system and overall wellness. (26, 27).

The present study explained the positive connection of brain KRAS expression with the AgNPs concentration. Anyhow, the mice who received 0.5 mg of AgNPs for 7 days showed brain KRAS expression level less than that of control group. It has been conducted that human glioblastoma development is associated with activating RAS by specific pathway (28, 29). The activation of this pathway can generate mice glioma as a result of increased expression of oncogenic KRAS (30–33). Furthermore, Ju *et al.* found related results in zebrafish brain (34).

The current data announced the significant linkage of renal KRAS levels and the silver–nanoparticles dose. Nevertheless, the mice who spent 14 days on 0.5 mg of AgNPs gave renal KRAS concentration lower than that of the control group. KRAS overexpression or mutations stimulate abnormal cell proliferation (24, 35, 36). It has been found that the KRAS expression is increased significantly in 13.7% of renal cell carcinoma patients (37, 38). Furthermore, Kozma *et al.* (39) conducted that 16.6% of renal cell carcinoma samples showed KRAS amplifications and they found that these amplifications were correlated with the grade and size of tumor.

#### Conclusion

The findings of this investigation exhibited a strong link between KRAS levels and AgNPs dosage, indicating a possible hazardous connected with using AgNPs products.

#### References

- 1. E. Η. 2020. EFFECT OF SILVER NANOPARTICLES Al-taee, USING LEAVES EXTRACT OLIVE SYNTHESIZED OF ON HISTOPATHOLOGICAL AND CYTOGENETIC EFFECTS IN ALBINO MICE. Iragi Journal of Agricultural Sciences. 51(5):1448-1457.
- 2. Nowack, B., and Bucheli, T. D., 2007. Occurrence, behavior and effects of nanoparticles in the environment. *Environ. Pollut.* 150, 5–22.
- Sun, T. Y., Mitrano, D. M., Bornhöft, N. A., Scheringer, M., Hungerbühler, K., and Nowack, B., 2017. Envisioning nano release dynamics in a changing world: using dynamic probabilistic modeling to assess future environmental emissions of engineered nanomaterials. *Environ. Sci. Technol.* 51, 2854– 2863.
- M. M. Kadhum; N. N. Hussein. 2020. DETECTION OF THE ANTIMICROBIAL ACTIVITY OF SILVER NANOPARTICULES BIOSYNTHESIZED BY STREPTOCOCCUS PYOGENES BACTERIA. *Iraqi Journal of Agricultural Sciences*. 51(2):500–507.
- Durán, N., Durán, M., De Jesus, M. B., Seabra, A. B., Fávaro, W. J., and Nakazato, G., 2016. Silver nanoparticles: a new view on mechanistic aspects on antimicrobial activity. *Nanomed. Nanotechnol. Biol. Med.* 12, 789–799.
- Kumar, S. S. D., Houreld, N. N., Kroukamp, E. M., and Abrahamse, H., 2018. Cellular imaging and bactericidal mechanism of green-synthesized silver nanoparticles against human pathogenic bacteria. *J. Photochem. Photobiol. B. Biol.* 178, 259–269.
- Tian, X., Jiang, X., Welch, C., Croley, T. R., Wong, T.-Y., Chen, C., *et al.*, 2018. Bactericidal effects of silver nanoparticles on Lactobacilli and the underlying mechanism. *ACS Appl. Mater. Interfaces* 10, 8443–8450.

- Capek, I., 2004. Preparation of metal nanoparticles in water-inoil (w/o) microemulsions. *Adv. Colloid Interface Sci.* 110, 49–74.
- Sohn, E. K., Johari, S. A., Kim, T. G., Kim, J. K., Kim, E., Lee, J. H., *et al.*, 2015. Aquatic toxicity comparison of silver nanoparticles and silver nanowires. *Biomed Res. Int.* 2015:893049.
- **10**.Alarcon, E. I., Griffith, M., and Udekwu, K. I., 2015. Silver Nanoparticle Applications. *Springer International Publishing*.
- 11.Wei, L., Lu, J., Xu, H., Patel, A., Chen, Z.–S., and Chen, G., 2015. Silver nanoparticles: synthesis, properties, and therapeutic applications. *Drug Discov. Today* 20, 595–601.
- 12.McGillicuddy, E., Murray, I., Kavanagh, S., Morrison, L., Fogarty, A., Cormican, M., *et al.*, 2017. Silver nanoparticles in the environment: sources, detection and ecotoxicology. *Sci. Total Environ.* 575, 231–246.
- **13**.Ratte, H. T., 1999. Bioaccumulation and toxicity of silver compounds: a review. *Environ. Toxicol. Chem.* 18, 89–108.
- 14.Yue, Y., Li, X., Sigg, L., Suter, M. J., Pillai, S., Behra, R., *et al.*, 2017. Interaction of silver nanoparticles with algae and fish cells: a sidemby side comparison. *J. Nanobiotechnol.* 15:16.
- 15.Li, L.,Wu, H., Ji, C., Van Gestel, C. A., Allen, H. E., and Peijnenburg,W. J., 2015. A metabolomic study on the responses of daphnia magna exposed to silver nitrate and coated silver nanoparticles. *Ecotoxicol. Environ. Saf.* 119, 66–73.
- 16.Sakamoto,M., Ha, J. Y., Yoneshima, S., Kataoka, C., Tatsuta, H., and Kashiwada, S., 2015. Free silver ion as the main cause of acute and chronic toxicity of silver nanoparticles to cladocerans. *Arch. Environ. Contam. Toxicol.* 68, 500–509.

- 17.Shen, M. H., Zhou, X. X., Yang, X. Y., Chao, J. B., Liu, R., and Liu, J. F., 2015. Exposure Medium: key in identifying free Ag+ as the exclusive species of silver nanoparticles with acute toxicity to Daphnia magna. *Sci. Rep.* 5:9674.
- 18.Fabrega, J., Luoma, S. N., Tyler, C. R., Galloway, T. S., and Lead, J. R., 2011. Silver nanoparticles: behaviour and effects in the aquatic environment. *Environ. Int.* 37, 517–531.
- Sørensen, S. N., Hjorth, R., Delgado, C. G., Hartmann, N. B., and Baun, A., 2015. Nanoparticle ecotoxicity-physical and/or chemical effects. *Integr. Environ. Assess. Manag.* 11, 722–724.
- 20. Pakrashi, S., Tan, C., and Wang, W. X., 2017. Bioaccumulation-based silver nanoparticle toxicity in Daphnia magna and maternal impacts. *Environ. Toxicol. Chem.* 36, 3359–3366.
- 21.Abramenko, N. B., Demidova, T. B., Abkhalimov, E. V., Ershov, B. G., Krysanov, E. Y., and Kustov, L. M., 2018. Ecotoxicity of different-shaped silver nanoparticles: case of zebrafish embryos. *J. Hazard. Mater.* 347, 89– 94.
- 22.Cox AD, Fesik SW, Kimmelman AC, Luo J, Der CJ. Drugging the undruggable RAS: mission possible? *Nat Rev Drug Discov.* 2014;13:828–51.
- 23. Mahmood, A.S., Farhan, S.H., Najm, M.A., 2019. Association of polymorphism GST1 gene and antioxidant status, and interleukin–17 of colorectal cancer Iraqi patients. *Indian Journal of Forensic Medicine and Toxicology*, 13(4), pp. 536–540.
- 24. <u>Nasir, G.A., Najm, M.A., Hussein, A.L.</u>, 2020. The effect of silver nanoparticles on braf gene expression. *Systematic Reviews in Pharmacy*, 11(10), pp. 570–575.
- 25. Gulboy A. Nasir, Alaa K. Mohammed, Hasan F. Samir, 2016. Biosynthesis and Characterization of Silver Nanoparticles Using Olive Leaves Extract and Sorbitol. *Iraqi Journal of Biotechnology*, 15, (1), 22–32.

- 26.Shashi Pratap Singh, C.S. Bhargava, Vishal Dubey, Ashish Mishra, Yatendra Singh, 2017. Silver nanoparticles: Biomedical applications, toxicity, and safety issues. *International Journal of Research in Pharmacy and Pharmaceutical Sciences*, 2 (4): 01–10.
- 27. Najm, M.A., Alfatlawi, W.R., Saleh, R.O., Kadhim Al Taie, S.M., 2019. Evaluation of antioxidant (GSH, CAT, SOD) and MDA in Iraqi women with breast cancer. *Journal of Global Pharma Technology*, 11(7), pp. 107–110.
- **28**.Comprehensive genomic characterization defines human glioblastoma genes and core pathways. *Nature*. 2008;455:1061–68.
- 29. Najm, M.A., Razaak, H.A.A., Fahad, H.M., 2020. Detect the infection with rubella virus and toxoplasmosis in pregnancy causes suffering from early abortion by using real time PCR. *Medico–Legal Update*, 20(1), pp. 397–402.
- **30**.Holmen SL, Williams BO. Essential role for Ras signaling in glioblastoma maintenance. *Cancer Res.* 2005;65:8250–5.
- 31.Abel TW, Clark C, Bierie B, Chytil A, Aakre M, Gorska A, et al. GFAP-Cremediated activation of oncogenic K-ras results in expansion of the subventricular zone and infiltrating glioma. *Mol Cancer Res.* 2009;7:645–53.
- 32. Holland EC, Celestino J, Dai C, Schaefer L, Sawaya RE, Fuller GN. Combined activation of Ras and Akt in neural progenitors induces glioblastoma formation in mice. *Nat Genet.* 2000;25:55–7.
- **33**.Munoz DM, Tung T, Agnihotri S, Singh S, Guha A, Zadeh G, et al. Loss of p53 cooperates with K-ras activation to induce glioma formation in a regionindependent manner. *Glia*. 2013;61:1862–72.
- 34.Bensheng Ju1, Wenbiao Chen2, Brent A Orr3, Jan M Spitsbergen4, Sujuan Jia1, Christopher J Eden5, Hannah E Henson1,6 and Michael R Taylor. Oncogenic KRAS promotes malignant brain tumors in zebrafish. *Molecular Cancer* (2015) 14:18.
- **35**.Omer Bayrak1, Haluk Sen1, Ersan Bulut1, Beyhan Cengiz2,3, Metin Karakok4, Sakip Erturhan1, Ilker Seckiner. Evaluation of EGFR, KRAS and

BRAF gene mutations in renal cell carcinoma. *Journal of Kidney Cancer and VHL 2014; 1(4):40–45.* 

- 36. Najm, M.A., Al-Hadeithi, Z.S.M., Salih, A.T.A., 2020. Correlating schizophrenia with DRD3 Ser9Gly or HTR2 receptor gene variants by using RFLP method. *Indian Journal of Forensic Medicine and Toxicology*, 14(3), pp. 2038–2043.
- 37.Kamai T, Arai K, Koga F, Abe H, Nakanishi K, Kambara T. Higher expression of K-ras is associated with parathyroid hormone-related protein-induced hypercalcaemia in renal cell carcinoma. *BJU Int* 2001; 88: 960–96.
- 38. Hazim, O.H., Najm, M.A., Ibraheem, Z.O., 2020. Genetic diversity of three medicinal plants of apiaceous family. *Systematic Reviews in Pharmacy*, 11(8), pp. 775–778.
- 39.Kozma L, Kiss I, Nagy A, Szakáll S, Ember I. Investigation of c-myc and Kras amplification in renal clear cell adenocarcinoma. *Cancer Lett* 1997; 111: 127–131.

Copyright © 2022 – All Rights Reserved : Mohammed Ayyed Najm , Gulboy Abdolmajeed Nasir , Huda Musleh Mahmood